

# DOM ix TwinStar

TWO ROLES - DOUBLE THE SECURITY

With its floating mounted dual role within the key the new reversible key system ix TwinStar provides the highest protection against unauthorised key copying.



## TECHNICAL FEATURES

Adjustable Cam	Yes
Anti Bump Protection	Yes
Anti Drill Core Protection	Yes
Anti Drill Protection Housing	Yes
Anti Pick Protection	Yes
Anti Snap Protection	No
Cylinder Mechanism	Pin
Fire Resistant	Yes
Key Patent Protection	Yes
Key Patent Until (year)	2036
Key Type	Reversible Key System
Maximum Number of Lateral Elements	10
Maximum Number of Upper Elements	9
MKS Possibilities	Grand Master Keyed, Master Key, Registered Single Coded
Number of Active Locking Elements	11
Number of Ant Bumping Elements	8
Number of Anti Picking Elements	8
Number of Moveable Elements	2
Number of Passive Elements	10
System Patent Protection	Yes
System Patented Until (year)	2036
Total Number of Locking Elements	21


## CONFIGURATIONS

Available as a Service Cylinder	No
Modular	Optional
Optional Cams	10 Teeth Gear Cams, 14 Teeth Gear Cams, Cam Biffar, Swiss Cam, Spanish Cam 13.2 mm, Cam Corbin, Cam 90°

# DOM ix TwinStar

## CONFIGURATIONS (CONTINUED)

Sea Water Protection	Optional
Number of Keys	3



## APPLICATIONS OF USE

Airports, Education, Financial, Homes, Hospitals, Hotels, Industrial, Medium to Large Sized Businesses, Offices, Plants, Public Buildings, Small to Medium Sized Businesses

## CERTIFICATIONS

EN 1303:2015	160B0C6B
VdS 2156:1 Classification	BZ+

## FEATURES & BENEFITS

Registration Card	Yes
Standard Housing Material	Brass
Key Material	New Silver
Standard Warranty	2 Years
Standard Finish	Matt Nickel
Optional Finishes	Bright Brass, Bright Chrome, Bright Nickel, Matt Chrome, Matt Brass, Gold, Dark Bronze

# DOM ix TwinStar

## FINISHES



001 Matt Nickel



003 Matt Chrome



004 Polished Chrome



005 Matt Brass



006 Polished Brass



007 Dark Bronze



009 Antique Bronze



017 Black



025 Gold Plated



027 Matt Black



029 Bright Bronze

## KNOBS



K1




K3



K4



K5



K6